Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Aquaculture 224 (2003) 363–364
Aquaculture
www.elsevier.com/locate/aqua-online

Contents of *Aquaculture*, Volume 224

VOL. 224 NOS. 1–4 **30 June 2003**

Diseases, Parasites and Predators

Development of an oral administration of oxytetracycline to control losses due to withering syndrome in cultured red abalone *Haliotis rufescens*
C.S. Friedman (Seattle, WA, Bodega Bay, CA, USA), G. Trevelyan (Cayucos, CA, USA), T.T. Robbins, E.P. Mulder (Bodega Bay, CA, USA) and R. Fields (Cayucos, CA, USA) 1

Genetics

Comparative analysis of the mitochondrial DNA control region in cyprinids with different ploidy level
X. Guo, S. Liu and Y. Liu (Changsha, PR China) 25

Development of microsatellite markers in black tiger shrimp (*Penaeus monodon* Fabricius)
S. Wuthisuthimethavee (Nakorn pathom, Thailand), P. Lumubol (Bangkok, Thailand), A. Vanavichit and S. Tragoonrung (Nakorn pathom, Thailand) 39

Husbandry and Management

Water quality requirements for marine fish cage site selection in Tenerife (Canary Islands): predictive modelling and analysis using GIS
O.M. Pérez, L.G. Ross, T.C. Telfer and L.M. del Campo Barquin (Stirling, UK) 51

Coral reef fish breeding: the secrets of each species
I. Olivotto, M. Cardinali, L. Barbaresi, F. Maradonna and O. Carnevali (Ancona, Italy) 69

Do delivery rate and pellet size affect growth rate in Atlantic salmon (*Salmo salar* L.) raised under semi-commercial farming conditions?
J. Bailey, A. Alanärä (Umeå, Sweden) and V. Crampton (Dirdal, Norway) 79

Effect of feeding method and protein source on *Sparus aurata* feeding patterns
M.J. Sánchez-Muros, V. Corchete, M.D. Suárez (Almería, Spain), G. Cardenete (Granada, Spain), E. Gómez-Milán (Almería, Spain) and M. de la Higuera (Granada, Spain) 89

Growth and oxygen consumption in normal and O_2 supersaturated water, and interactive effects of O_2 saturation and ammonia on growth in spotted wolffish (*Anarhichas minor* Olafsen)
A. Foss, T. Vollen and V. Øiestad (Tromsø, Norway) 105

Effects of shellfish farming on the benthic environment
C.M. Crawford, C.K.A. Macleod and I.M. Mitchell (Hobart, Tas., Australia) 117

Effects of photoperiod and light intensity on initial swim bladder inflation, growth and post-inflation viability in cultured striped trumpeter (*Latris lineata*) larvae
A.J. Trotter (Launceston, Taroona, Tas., Australia), S.C. Battaglene (Taroona, Tas., Australia) and P.M. Pankhurst (Launceston, Tas., Australia) 141

Statistical power in comparative aquaculture studies
E.N. Ling (Kingston upon Thames, UK) and D. Cotter (Mayo, Ireland) 159

A single phase of food deprivation provoked compensatory growth in barramundi *Lates calcarifer*
X. Tian (Adelaide, SA, Australia; Qingdao, PR China) and J.G. Qin (Adelaide, SA, Australia) 169

Effect of the response interval of self-feeders on the self-regulation of feed demand by rainbow trout (*Oncorhynchus mykiss*) fry
T. Shima, T. Yamamoto, H. Furuita and N. Suzuki (Tamaki, Japan) 181
Acute toxicity of nitrite on *Litopenaeus vannamei* (Boone) juveniles at different salinity levels
Y.-C. Lin and J.-C. Chen (Keelung, Taiwan, ROC) 193
Sperm cryopreservation of sex-reversed rainbow trout (*Oncorhynchus mykiss*): parameters that affect its ability for freezing
V. Robles, E. Cabrita, S. Cuñado and M.P. Herráez (León, Spain) 203
Influence of salinity on the developmental stages of African catfish *Heterobranchus longifilis* (Valenciennes, 1840)
H.A. Fashina-Bombata and A.N. Busari (Lagos, Nigeria) 213

Nutrition

Physiological, nutritional, and immunological role of dietary β 1-3 glucan and ascorbic acid 2-monophosphate in *Litopenaeus vannamei* juveniles
N. López (Managua, Nicaragua), G. Cuzon (Tahiti, French Polynesia), G. Gaxiola, G. Taboada, M. Valenzuela, C. Pascual, A. Sánchez and C. Rosas (Campeche, Mexico) 223
Tissue distribution and residue depletion of oxolinic acid in gilthead sea bream (*Sparus aurata*) and sharpsnout sea bream (*Diplodus puntazzo*) following multiple in-feed dosing
G. Rigos (Attiki, Greece; Surrey, UK), I. Nengas, M. Alexis (Attiki, Greece), A.E. Tyrpenou (Athens, Greece) and G.M. Troisi (Uxbridge, UK) 245
Effect of triacylglycerols in formulated diets on growth and fatty acid composition in tissue of green abalone (*Haliotis fulgens*)
E. Durazo-Beltrán (Ensenada, Mexico), L.R. D'Abramo (Starkville, MS, USA), J.F. Toro-Vazquez (San Luis Potosí, Mexico), C. Vasquez-Peláez (México, Mexico) and M.T. Viana (Ensenada, Mexico) 257
Comparison of phosphorus retention efficiency between rainbow trout (*Oncorhynchus mykiss*) fed a commercial diet and a low fish meal based diet
S. Satoh, A. Hernández, T. Tokoro, Y. Morishita, V. Kiron and T. Watanabe (Tokyo, Japan) 271
Digestibility, growth and nutrient utilisation of Atlantic salmon parr (*Salmo salar* L.) in relation to temperature, feed fat content and oil source
E.Å. Bendiksen, O.K. Berg (Trondheim, Norway), M. Jobling, A.M. Arnesen (Tromsø, Norway) and K. Måsøval (Trondheim, Norway) 283
Glycemic responses in white sturgeon after oral administration of graded doses of D-glucose
E. Gisbert (Davis, CA, USA; Barcelona, Spain), R.D. Sainz and S.S.O. Hung (Davis, CA, USA) . . 301

Physiology and Endocrinology

Prevention of surface death of marine fish larvae by the addition of egg white into rearing water
T. Kaji (Kyoto, Japan), M. Kodama, H. Arai (Tokyo, Japan), M. Tanaka and M. Tagawa (Kyoto, Japan) 313
Induced sexual maturation of the European eel *Anguilla anguilla* and fertilisation of the eggs
B.H. Pedersen (Helsingør, Denmark) 323
Ovarian growth in the crab *Chasmagnathus granulata* induced by hormones and neuroregulators throughout the year. In vivo and in vitro studies
V. Zapata, L.S. López Greco, D. Medesani and E.M. Rodríguez (Buenos Aires, Argentina) 339
Size dependent variation in optimum growth temperature of red abalone (*Haliotis rufescens*)
A. Steinarsson (Reykjavík, Iceland) and A.K. Imsland (Kópavogi, Iceland) 353

Contents of *Aquaculture*, Volume 224 363

Contents (continued)

Husbandry and Management

Water quality requirements for marine fish cage site selection in Tenerife (Canary Islands): predictive modelling and analysis using GIS
O.M. Pérez, L.G. Ross, T.C. Telfer and L.M. del Campo Barquin (Stirling, UK) 51
Coral reef fish breeding: the secrets of each species
I. Olivotto, M. Cardinali, L. Barbaresi, F. Maradonna and O. Carnevali (Ancona, Italy) 69
Do delivery rate and pellet size affect growth rate in Atlantic salmon (*Salmo salar* L.) raised under semi-commercial farming conditions?
J. Bailey, A. Alanärä (Umeå, Sweden) and V. Crampton (Dirdal, Norway) 79
Effect of feeding method and protein source on *Sparus aurata* feeding patterns
M.J. Sánchez-Muros, V. Corchete, M.D. Suárez (Almería, Spain), G. Cardenete (Granada, Spain), E. Gómez-Milán (Almería, Spain) and M. de la Higuera (Granada, Spain) 89
Growth and oxygen consumption in normal and O_2 supersaturated water, and interactive effects of O_2 saturation and ammonia on growth in spotted wolffish (*Anarhichas minor* Olafsen)
A. Foss, T. Vollen and V. Øiestad (Tromsø, Norway) 105
Effects of shellfish farming on the benthic environment
C.M. Crawford, C.K.A. Macleod and I.M. Mitchell (Hobart, Tas., Australia) 117
Effects of photoperiod and light intensity on initial swim bladder inflation, growth and post-inflation viability in cultured striped trumpeter (*Latris lineata*) larvae
A.J. Trotter (Launceston, Taroona, Tas., Australia), S.C. Battaglene (Taroona, Tas., Australia) and P.M. Pankhurst (Launceston, Tas., Australia) 141
Statistical power in comparative aquaculture studies
E.N. Ling (Kingston upon Thames, UK) and D. Cotter (Mayo, Ireland) 159
A single phase of food deprivation provoked compensatory growth in barramundi *Lates calcarifer*
X. Tian (Adelaide, SA, Australia; Qingdao, PR China) and J.G. Qin (Adelaide, SA, Australia) 169
Effect of the response interval of self-feeders on the self-regulation of feed demand by rainbow trout (*Oncorhynchus mykiss*) fry
T. Shima, T. Yamamoto, H. Furuita and N. Suzuki (Tamaki, Japan) 181
Acute toxicity of nitrite on *Litopenaeus vannamei* (Boone) juveniles at different salinity levels
Y.-C. Lin and J.-C. Chen (Keelung, Taiwan, ROC) 193
Sperm cryopreservation of sex-reversed rainbow trout (*Oncorhynchus mykiss*): parameters that affect its ability for freezing
V. Robles, E. Cabrita, S. Cuñado and M.P. Herráez (León, Spain) 203
Influence of salinity on the developmental stages of African catfish *Heterobranchus longifilis* (Valenciennes, 1840)
H.A. Fashina-Bombata and A.N. Busari (Lagos, Nigeria) 213

Nutrition

Physiological, nutritional, and immunological role of dietary β 1-3 glucan and ascorbic acid 2-monophosphate in *Litopenaeus vannamei* juveniles
N. López (Managua, Nicaragua), G. Cuzon (Tahiti, French Polynesia), G. Gaxiola, G. Taboada, M. Valenzuela, C. Pascual, A. Sánchez and C. Rosas (Campeche, Mexico) . 223
Tissue distribution and residue depletion of oxolinic acid in gilthead sea bream (*Sparus aurata*) and sharpsnout sea bream (*Diplodus puntazzo*) following multiple in-feed dosing
G. Rigos (Attiki, Greece; Surrey, UK), I. Nengas, M. Alexis (Attiki, Greece), A.E. Tyrpenou (Athens, Greece) and G.M. Troisi (Uxbridge, UK) 245

Contents (continued)

Effect of triacylglycerols in formulated diets on growth and fatty acid composition in tissue of green abalone (*Haliotis fulgens*)
E. Durazo-Beltrán (Ensenada, Mexico), L.R. D'Abramo (Starkville, MS, USA), J.F. Toro-Vazquez (San Luis Potosí, Mexico), C. Vasquez-Peláez (México, Mexico) and M.T. Viana (Ensenada, Mexico) 257
Comparison of phosphorus retention efficiency between rainbow trout (*Oncorhynchus mykiss*) fed a commercial diet and a low fish meal based diet
S. Satoh, A. Hernández, T. Tokoro, Y. Morishita, V. Kiron and T. Watanabe (Tokyo, Japan) 271
Digestibility, growth and nutrient utilisation of Atlantic salmon parr (*Salmo salar* L.) in relation to temperature, feed fat content and oil source
E.Å. Bendiksen, O.K. Berg (Trondheim, Norway), M. Jobling, A.M. Arnesen (Tromsø, Norway) and K. Måsøval (Trondheim, Norway) 283
Glycemic responses in white sturgeon after oral administration of graded doses of D-glucose
E. Gisbert (Davis, CA, USA; Barcelona, Spain), R.D. Sainz and S.S.O. Hung (Davis, CA, USA) 301

Physiology and Endocrinology
Prevention of surface death of marine fish larvae by the addition of egg white into rearing water
T. Kaji (Kyoto, Japan), M. Kodama, H. Arai (Tokyo, Japan), M. Tanaka and M. Tagawa (Kyoto, Japan) 313
Induced sexual maturation of the European eel *Anguilla anguilla* and fertilisation of the eggs
B.H. Pedersen (Helsingør, Denmark) 323
Ovarian growth in the crab *Chasmagnathus granulata* induced by hormones and neuroregulators throughout the year. In vivo and in vitro studies
V. Zapata, L.S. López Greco, D. Medesani and E.M. Rodríguez (Buenos Aires, Argentina) 339
Size dependent variation in optimum growth temperature of red abalone (*Haliotis rufescens*)
A. Steinarsson (Reykjavík, Iceland) and A.K. Imsland (Kópavogi, Iceland) 353

Contents of *Aquaculture*, Volume 224 363